


LORO-X Dachentwässerungssystem LX 2288

LORO Hauptentwässerung

LORO-X Light

LORO-X Light Speier Art.-Nr. 12300.070X, DN 50, als Speier

LORO-X Abflusskurve



Wasserhöhe	[mm]	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
Abfluss Q	[l/s]	0,25	0,35	0,45	0,55	0,66	0,78	0,90	1,03	1,07	1,21	1,45	1,57	1,67	1,75	1,85	1,95

Datei: "LX 2289 DIA.RAG" Datum: 29.05.2024 Vb/Har 1 von 2



Regenentwässerung Silent Power[®] Tabelle 2289

Q (l/s)	h (mm)	dB bei (0,5m)
0,0	0 22 36	
0,2	22	63
0,0 0,2 0,4 0,6 0,8 1,0 1,2 1,4 1,6	36	63 66 71
0.6	50 66 84 108 138 167 Behälter läuft über	71
0.8	66	70
1.0	84	69
1.2	108	69 68 68 69
1 4	138	68
1.6	167	69
1.8	Rehälter läuft üher	00
1,0	Benater laut aber	

Datei: "LX 2289 DIA.RAG Datum: 29.05.2024 Vb/Har 2 von 2