



Balcony Drainage Series V

LORO-X Balcony Drainage Systems, made of stainless steel, DN 100

Main drainage

Gravity flow

Water height
35 mm

Variable balcony drainage system

with only one base body and modular set up elements for balcony sealing with liquid plastic or roof sealing sheets

- installation of base body and set up elements at different times
- modular set up elements for all balcony structures
- changable set up elements for renovation
- made of high-quality stainless steel


New:

Drainage ring/strainer units:

- highly durable and robust
- easy installation and disassembly
- strainer unit is securely fixed due to provided holes
- smaller seeping opening but still the same discharge rate

Advantages:

- higher discharge rate for drain and downpipe
- larger balcony and terrace areas
- more balconies and floors per downpipe
- less drains for larger balcony areas
- available as single and direct drain
- in case of heavy rain, install DN 100 precautionary
- barrier-free, low construction, security aspect, high-quality residential construction
- the same great variability as for DN 70




LORO-X

LORO-X Balcony drainage, Series V, DN 100

System setup

LORO-X Balcony drainage systems, Series V made of stainless steel, DN 100

Variable balcony drainage system with only one base body and modular set up elements, for installation in balconies with sealing of liquid plastic or roof sealing sheets




Attention: Please order downpipes separately.

* for installation in Series V-AK, adjust flange


New drainage ring:

- highly durable and robust
- easy installation and disassembly
- strainer unit is securely fixed due to provided holes
- smaller sieving opening but still the same discharge rate




18103.100X

New strainer units:



20424.100X
for upper balconies



20423.100X
for balcony floors

LOROWERK K.H. Vahlbrauk GmbH & Co. KG

Kriegerweg 1 • 37581 Bad Gandersheim, Postfach 13 80 • 37577 Bad Gandersheim
Tel. +49 5382 71 0 • Telefax +49 5382 71 2 03
Internet: www.loro-x.com • e-mail: infocenter@lorowerk.de